



S15 T


What are the S15 T sprinkler features?

Thanks to its low flow rate and specially designed wing and nozzle structure, it prevents the accumulation of water on the land surface and the formation of a hard layer.



Nozzles

It offers ease of use in a wide range of projects with nozzle options suitable for different flow rates.



Technical Specification


Code	Nozzle Dia (mm)	Approximate Flow Rate L/H			Pcs/Box
		2,5 Bar	3,0 Bar	3,5 Bar	
S15-T-1	4,2 × 3,8	1610	1752	1902	30
S15-T-2	5,0 × 4,0	2158	2366	2554	30
S15-T-3	5,0 × 4,5	2377	2606	2814	30
S15-T-4	6,0 × 4,0	2802	3049	3278	30
S15-T-5	6,0 × 4,5	2943	3229	3506	30
S15-T-6	6,0 × 5,0	3291	3603	3880	30

Application Range

Nozzle (mm)	Pressure (Bar)	Flow Rate (lt/h)	Dia (m)	AxB - mm/h			
				10×10	10×12	12×12	10×15
4,2 × 3,8	2,5	1610	21	16,1	13,4	11,2	10,7
	3,0	1752	22	17,5	14,6	12,2	11,7
	3,5	1902	23	19,0	15,9	13,2	12,7
5,0 × 4,0	2,5	2158	21	21,6	18,0	15,4	14,4
	3,0	2366	22	23,7	19,7	16,4	15,8
	3,5	2554	23	25,5	21,3	17,7	17,0
5,0 × 4,5	2,5	2377	21	23,8	19,8	16,5	15,8
	3,0	2606	22	26,1	21,7	18,1	17,4
	3,5	2814	23	28,1	23,5	19,5	18,8
6,0 × 4,0	2,5	2802	21	28,0	23,4	19,5	18,7
	3,0	3049	22	30,5	25,4	21,2	20,3
	3,5	3278	23	32,8	27,3	22,8	21,9
6,0 × 4,5	2,5	2943	21	29,4	24,5	20,4	19,6
	3,0	3229	22	32,3	26,9	22,4	21,5
	3,5	3506	23	35,1	29,2	24,3	23,4
6,0 × 5,0	2,5	3291	21	32,9	27,4	22,9	21,9
	3,0	3603	22	36,0	30,0	25,0	24,0
	3,5	3880	23	38,8	32,3	26,9	25,9

Long lasting performance

It is made of plastic and stainless materials suitable for heavy outdoor conditions. It provides high resistance to chemicals, UV rays and impact.



- The given data are in the fully open position of the sprinkler in a windless environment.
- Minimum operating pressure of the sprinkler is 2.5 bar for an efficient homogeneous irrigation.

All the data sheets, schematics, manuals, photos and descriptions are for general purpose use only. Please contact nearest STF specialists for further information or technical support. The company reserves the right to change the design of their products without prior notice.